



Sirca 

ColorSirca

Questa cartella contiene i colori base del sistema tintometrico **COLORSIRCA** e circa 400 esempi delle infinite tonalità ottenibili miscelandoli tra loro.

Il sistema è fondato su due serie di vernici disponibili in 15 colori, basati su pigmenti **senza piombo**:

- la finitura poliuretana lucida **LPP 25...** è caratterizzata da buona rapidità di essiccazione, ottima distensione, brillantezza e copertura. Eccellente anche la durezza superficiale e semplice la lucidatura meccanica con cere abrasive e polish. Si applica con facilità sia a spruzzo che a velo su fondo poliuretano o, preferibilmente, poliesteri opportunamente carteggiato.
- la finitura poliuretana opaca a 30 gloss **OPP 5...** è dotata di ottime caratteristiche di rapidità, copertura, morbidezza al tatto e durezza superficiale. Applicabile sia a spruzzo che a velo su fondo poliuretano o, preferibilmente, poliesteri opportunamente carteggiato.

COLORI BASE	Serie lucida	Serie opaca
Bianco	Lpp 2530nc	Opp 530ni
Rosso vivo	Lpp 2542nc	Opp 542nc
Rosso scuro	Lpp 2545nc	Opp 545nc
Rosso ossido	Lpp 2536nc	Opp 536nc
Rosso bordeaux	Lpp 2546nc	Opp 546nc
Rosso magenta	Lpp 2585nc	Opp 585nc
Arancio vivo sp	Lpp 2535ncsp	Opp 535ncsp
Giallo limone sp	Lpp 2531ncsp	Opp 531ncsp
Giallo sole sp	Lpp 2532ncsp	Opp 532ncsp
Giallo ocra	Lpp 2533nc	Opp 533nc
Verde	Lpp 2543nc	Opp 543nc
Blu	Lpp 2539nc	Opp 539nc
Blu oltremare	Lpp 2519nc	Opp 519nc
Viola	Lpp 2548nc	Opp 548nc
Nero	Lpp 2540nc	Opp 540nc

All'interno di ciascuna serie è possibile combinare i colori in tutte le proporzioni, ma non si devono miscelare le due serie tra loro.

I colori della cartella sono identificati da un numero, la formulazione del quale è contenuta nel **FORMULARIO COLORSIRCA**.

Il **FORMULARIO** contiene anche le informazioni tecniche dettagliate sulle caratteristiche chimico fisiche dei prodotti, sulla scelta dei catalizzatori e sulle modalità applicative.

I colori riportati dalla cartella sono ottenuti con tecnologie diverse da quella usata nelle vernici delle serie LPP e OPP e sono soggetti ad alterarsi nel tempo, pertanto devono essere considerati solamente indicativi, con un ΔE medio di 1 (con illuminante D65), e metameric rispetto alle formulazioni del FORMULARIO COLORSIRCA.

LE VERNICI SIRCA SONO PRODOTTI DESTINATI ESCLUSIVAMENTE AD UTILIZZATORI PROFESSIONALI; CONSULTATE SEMPRE LA SCHEDA DI SICUREZZA PRIMA DI UTILIZZARLI.

ColorSirca

This colour chart displays the base paints of the **COLORSIRCA** colorimetric system and almost 400 examples of the endless hues obtainable by blending them together.

The system is based on two series of 15 polyurethane paints, based on lead-free pigments:

- The polyurethane glossy top-coat **LPP 25....** is characterised by fast drying, excellent flow levelling, gloss, DOI, build and hiding power. Outstanding also the mar and scratch resistance. The product is suitable for simple buffing and polishing. **LPP 25...** can be easily applied, by spray or curtain coater, on sanded polyurethane or, preferably, polyester primer.
- The polyurethane matt (30 gloss) top-coat **OPP 5...** is endowed with excellent drying speed, build, hiding power, surface smoothness, mar and scratch resistance. **OPP 5..** can be easily applied, by spray or curtain coater, on sanded polyurethane or, preferably, polyester primer.

Following table lists the available colours.

COLOUR	Glossy Series	30 gloss Matt Series
White	Lpp 2530nc	Opp 530ni
Bright red	Lpp 2542nc	Opp 542nc
Dark red	Lpp 2545nc	Opp 545nc
Oxide red	Lpp 2536nc	Opp 536nc
Maroon	Lpp 2546nc	Opp 546nc
Magenta	Lpp 2585nc	Opp 585nc
Bright orange	Lpp 2535ncsp	Opp 535ncsp
Lemon yellow	Lpp 2531ncsp	Opp 531ncsp
Yellow	Lpp 2532ncsp	Opp 532ncsp
Ochre	Lpp 2533nc	Opp 533nc
Green	Lpp 2543nc	Opp 543nc
Blue	Lpp 2539nc	Opp 539nc
Ocean blue	Lpp 2519nc	Opp 519nc
Violet	Lpp 2548nc	Opp 548nc
Black	Lpp 2540nc	Opp 540nc

All colours of each series can be blended in every proportion, but the two series have not to be blended together.

The hues of the colour chart are identified by a number that corresponds to a formulation in the **COLORSIRCA HANDBOOK**.

In the **COLORSIRCA HANDBOOK** you will also find detailed technical information about the physical-chemical characteristics, the hardener choice and the application of the products.

*The hues shown in this colour chart have been obtained with a different technology from the one used in the paints of the LPP and OPP series, furthermore they are subject to change upon ageing, therefore they have to be considered only as indicative, with an average $\Delta E = 1$ (with light D65), and metameric compared to the formulations of the **COLORSIRCA HANDBOOK**.*

SIRCA PRODUCTS ARE FOR PROFESSIONAL USERS ONLY, READ CAREFULLY THE SAFETY DATA SHEET BEFORE USE.

Colori base e tagli con bianco

Colori composti

		
40nc	40nc/1	40nc/2
		
46nc	46nc/1	46nc/2
		
85nc	85nc/1	85nc/2
		
45nc	45nc/1	45nc/2
		
42nc	42nc/1	42nc/2
		
35ncsp	35ncsp/1	35ncsp/2
		
36nc	36nc/1	36nc/2
		
33nc	33nc/1	33nc/2
		
32ncsp	32ncsp/1	32ncsp/2
		
31ncsp	31ncsp/1	31ncsp/2
		
43nc	43nc/1	43nc/2
		
39nc	39nc/1	39nc/2
		
19nc	19nc/1	19nc/2
		
48nc	48nc/1	48nc/2

					
n101	n102	n103	n104	n105	n106
					
n110	n120	n128	n136	n751	n800
					
n869	n771	n820	n889	n953	n188
					
n189	n190	n301	n394	n481	n557
					
n290	n383	n470	n546	n310	n403
					
n490	n566	n299	n392	n479	n555
					
n119	n127	n135	n179	n180	n181
					
n288	n381	n468	n544	n279	n372







Sirca 

SIRCA S.p.A.
INDUSTRIA RESINE E VERNICI PER IL LEGNO
VIALE ROMA, 85 - 35010 S. DONO DI MASSANZAGO (PD) ITALY
TEL. +39-49 9322311 - FAX +39-49 9322322
www.sirca.it - e-mail: info@sirca.it

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
= **UNI EN ISO 9001/2000** =